

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.06.2016

Revision: 28.06.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** HarmonicGrease 4B No.2
- **Article number:** 11441
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture:** Grease
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Harmonic Drive AG - Hoenbergstrasse 14 - 65555 Limburg - Germany
- T +49-6431-5008-0 - F +49-6431-5008-119
- [customercare@harmonicdrive.de](mailto:customercare@harmonicdrive.de)
- 
- **1.4 Emergency telephone number:** Tel: +49 6431 5008-0

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008:**  
The product is not classified according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008:** Not applicable.
- **Hazard pictograms:** Not applicable.
- **Signal word:** Not applicable.
- **Hazard statements:** Not applicable.
- **Additional information:**  
Contains N,N''-(methylenedi-4,1-phenylene)bis[N'-octyl]urea. May produce an allergic reaction.  
Safety data sheet available on request.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:**  
Mixture of substances listed below with nonhazardous additions.  
Mixture of nonhazardous substances.

- **Dangerous components:**

ELINCS: 451-060-3 Index number: 616-204-00-3 Reg.nr.: 01-2120099604-47-xxxx	N,N''-(methylenedi-4,1-phenylene)bis[N'-octylurea] Aquatic Chronic 4, H413	3-7%
ELINCS: 445-760-8 Index number: 006-103-00-7 Reg.nr.: 01-2120106785-55-xxxx	N,N''-(methylenedi-4,1-phenylene)bis[N'-octyl]urea ⚠ Resp. Sens. 1, H334; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	3-7%
EINECS: 283-392-8 Reg.nr.: 01-2119493626-26-xxxx	Zinc alkylidithiophosphate ⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315	1-3%
CAS: 68411-46-1 EINECS: 270-128-1 Reg.nr.: 01-2119491299-23-xxxx	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene Aquatic Chronic 3, H412	1-3%

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.06.2016

Revision: 28.06.2016

Trade name: **HarmonicGrease 4B No.2**

(Contd. of page 1)

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### **SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fire with alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Open and handle receptacle with care.
- **Information about fire - and explosion protection:** When heated the product forms flammable fumes.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:** Protect from contamination.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.06.2016

Revision: 28.06.2016

Trade name: **HarmonicGrease 4B No.2**

(Contd. of page 2)

· 7.3 **Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.· **8.1 Control parameters**· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

· **Respiratory protection:** Not necessary if room is well-ventilated.· **Protection of hands:**

Oil resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Not required.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form: Pasty

Colour: Yellow

· **Odour:** Recognisable· **Odour threshold:** Not determined.· **pH-value:** Not applicable.· **Change in condition**

Melting point/Melting range: 247 °C (ISO 2176)

Boiling point/Boiling range: Undetermined.

· **Flash point:** 191 °C (Seta)· **Flammability (solid, gaseous):** Not determined.· **Ignition temperature:** Not determined.· **Decomposition temperature:** Not determined.· **Self-igniting:** Product is not selfigniting.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.06.2016

Revision: 28.06.2016

**Trade name: HarmonicGrease 4B No.2**

(Contd. of page 3)

· <b>Danger of explosion:</b>	<i>Product does not present an explosion hazard.</i>
· <b>Explosion limits:</b>	
<b>Lower:</b>	<i>Not determined.</i>
<b>Upper:</b>	<i>Not determined.</i>
· <b>Vapour pressure:</b>	<i>Not applicable.</i>
· <b>Density at 25 °C:</b>	<i>0.88 g/cm<sup>3</sup></i>
· <b>Relative density</b>	<i>Not determined.</i>
· <b>Vapour density</b>	<i>Not applicable.</i>
· <b>Evaporation rate</b>	<i>Not applicable.</i>
· <b>Solubility in / Miscibility with water:</b>	<i>Insoluble.</i>
· <b>Partition coefficient (n-octanol/water):</b>	<i>Not determined.</i>
· <b>Viscosity:</b>	
<b>Dynamic:</b>	<i>Not applicable.</i>
<b>Kinematic:</b>	<i>Not applicable.</i>
· <b>9.2 Other information</b>	<i>No further relevant information available.</i>

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *To avoid thermal decomposition do not overheat.*
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known.*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:**  
*Carbon monoxide and carbon dioxide*  
*Toxic metal oxide smoke*

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*
- **Primary irritant effect:**
- **Skin corrosion/irritation** *Based on available data, the classification criteria are not met.*
- **Serious eye damage/irritation**  
*The product is not classified as a hazardous substance in terms of acute eye irritation/corrosion based on the OECD405 test results.*
- **Respiratory or skin sensitisation**  
*We have raised an objection to ECHA as the urea in the product was wrongly classified in terms of respiratory sensitization.*
- **Additional toxicological information:**  
*The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.*  
*When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.*
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *Based on available data, the classification criteria are not met.*
- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.06.2016

Revision: 28.06.2016

Trade name: **HarmonicGrease 4B No.2**

(Contd. of page 4)

· **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** Not easily biodegradable
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
The grease product falls under not-classified by the result of Freshwater algae and cyanobacteria, growth inhibition test (OECD 201).  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Hand over to hazardous waste disposers.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |  |                 |
|--|-----------------|
| · <b>14.1 UN-Number</b>  |                 |
| · <b>ADR, ADN, IMDG, IATA</b>  | Not applicable. |
| · <b>14.2 UN proper shipping name</b>  |                 |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void            |
| · <b>14.3 Transport hazard class(es)</b>   |                 |
| · <b>ADR, ADN, IMDG, IATA</b>  |                 |
| · <b>Class</b>   | Void            |
| · <b>14.4 Packing group</b>  |                 |
| · <b>ADR, IMDG, IATA</b>   | Void            |
| · <b>14.5 Environmental hazards:</b>   |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>14.6 Special precautions for user</b>                                       | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | -               |

GBR

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.06.2016

Revision: 28.06.2016

Trade name: **HarmonicGrease 4B No.2**

(Contd. of page 5)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**

- H315 Causes skin irritation.*
- H318 Causes serious eye damage.*
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.*
- H400 Very toxic to aquatic life.*
- H410 Very toxic to aquatic life with long lasting effects.*
- H411 Toxic to aquatic life with long lasting effects.*
- H412 Harmful to aquatic life with long lasting effects.*
- H413 May cause long lasting harmful effects to aquatic life.*

- **Department issuing MSDS:** Product safety department.

- **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)*
- ICAO: International Civil Aviation Organisation*
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)*
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*
- IMDG: International Maritime Code for Dangerous Goods*
- IATA: International Air Transport Association*
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals*
- EINECS: European Inventory of Existing Commercial Chemical Substances*
- ELINCS: European List of Notified Chemical Substances*
- CAS: Chemical Abstracts Service (division of the American Chemical Society)*
- PBT: Persistent, Bioaccumulative and Toxic*
- vPvB: very Persistent and very Bioaccumulative*
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2*
- Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1*
- Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1*
- Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1*
- Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1*
- Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2*
- Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3*
- Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4*

GBR